## Author Index


Amos, R. 343
Änggård, E. 542
Ayed, S. R. 456
Balenović, R. 22
Bark, L. S. 418
Bausch, H. 144
Bayne, W. 334
Belliveau, P. E. 478
Bergkvist, H. 542
Bisset, N.G. 493
Blamire, J. 456
Blumberg, A. G. 565
Boček, P. 412
Boulton, A. A. 322
Brenner, M. 390
Butterfield, A. G. 567
Caputo, A. 547
Chan, F. L. 363
Charransol, G. 530
Cheetham, N. W. H. 400
Chexal, K. K. 484
Churáček, J. 241, 250
Clarke, K. F. 418
Clifford, D. R. 523
Cremer, E. 132
Cronin, D. A. 406
Dallas, M. S. J. 193, 225
Daly, J. 67, 78
Del Pozo Ojeda, A. 118
Desgrez, P. 530
Deutscher, F. 132
Deyl, Z. 231
Dumont, E. 96, 106
Dürr, H. 53
Fill, P. 132
Fowden, L. 575
Frahn, J. L. 577
Franc, J. 207, 295
Frati, L. 547
Frei, R. W. 478
Fricke, H. 362
Fukushima, D. K. 509
Gasparič, J. 261
Geiss, F. 46
Gheorghiu, Th. 430
Goodrick, J. E. 123
Gordon, J. E. 532
Götz, J. 515
Gough, T. A. 521
Graham, R. J. T. 67, 78
Grant, D. L. 567
Grlić, L. 562
Haefelfinger, P. 184
Hais, I. M. 200
Halpaap, H. 144, 163
Handa, B. K. 484
Hara, S. 143
Haworth, D. T. 581
Heaton, A M. 565
Hibberd, G. E. 393
Huber, W. 362
Irvine, D. G. 334
Jain, S. K. 572
Jamieson, W. D. 515
Janák, J. 92, 279, 412
Jolliffe, G. H. 125
Jork, H. 372
Kakáč, B. 353
Kaštelan-Macan, M. 35
Klatyk, K. 163
Klaus, R. 446
Knight, J. A. 526
Kramlová, M. 90
Krasnec, L. 353
Kraus, Lj. 96, 106
Kubecová, V. 92
Lederer, M. 387
Lisboa, B. P. 364
McCully, K. A. 567
Macek, K. 1
Majer, J. R. 322, 328, 334
Mallet, V. 478
Masoomi, Z. 581
Masson, C. R. 515
Mattox, V. R. 123
Matysik, G. 57
Meyer, P. D. 538
Mibe, K. 143
Mital, R. L. 572
Moreno Dalmau, J. 118
Nau, H. 132
Neher, R. 7
Novák, J. 412
Oette, K. 430
Ogston, A. G. 393
Pechová, H. 250
Perry, R. 328
Peterson, P. J. 575
Phillipson, J. D. 493
Plaček, K. 295
Plá Delfina, J. M. 118
Pospíšilová, K. 207
Prandi, C. 214
Praus, R. 535
Přistoupil, T. I. 90
Procházka, Ž. 113
Rahman, W. 484
Reade, M. J. 328
Reinbothe, H. 551
Reio, L. 11
Rogers, R. N. 268
Rössler, H. 163
Rozumek, K.-E. 53
Sandroni, S. 46

Šaršúnová, M. 353
Schlitt, H. 46
Schneider, J. J. 509
Schrader, L. 53
Shellard, E. J. 125
Shipton, H. W. 538
Sisenwine, S. F. 555
Sissons, D. J. 468
Smith, L. C. 268
Soczewiński, E. 57
Stegink, L. D. 538
Street, H. V., 238, 291
Székely, G. 313
Tarrant, K. R. 521
Telling, G. M. 468
Terenius, L. 560
Tio, C. O. 555
Turina, S. 22, 35
Villeneuve, D. C. 567
Vrieze, W. D. 123
Walker, E. A. 521
Wasternack, C. 551
Watkins, D. A. M. 523
Wijsbeek, J. 222
Winzor, D. J. 393, 400
Wu, F. F. H. 515
Zeeuw, R. A. de 27, 222
Ziska, P. 544
Zoch, E. 558

## Subject Index

Acids, fatty, see Fatty acids
——, new reagents for the identification of, 241
Adsorption thin-layer chromatography, homologous *m*-polyphenyls as reference compounds in, 46
Aglycones, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosiduronic methyl esters, D-glucopyranoside tetraacetates, and 2′-acetamido-2′-deoxy-tri-O-acetyl-D-glucopyranosides, 509
Air pollutants, use of TLC and MS for the rapid estimation of trace quantities of, 328
Alcohols, new reagents for the identification of, 241
Alkaloids, identification of alkaloid-containing drugs by TLC after micro steam distillation, 125
——, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, 96
——, study of the stability of iodine and tertiary-bounded nitrogen complexes in substances separated by TLC, by means of IR spectroscopy, 353
——, tertiary *Strychnos*, correlation between $hR_F$ values in TLC and chemical structure, 493
Alkylbenzenes, pyrolysis and hydrogenation of, 521
Alkyldinitrophenols, and corresponding anisoles, GC of, 523
Alkylphenols, studies in the relationship between molecular structure and chromatographic behaviour and an investigation of the validity of the additivity principle as applied to the GC behaviour of alkylphenols, 418
N-Alkyl substituted products, identification by a dealkylation reaction in the presence of adsorption chromatography substrates, 214
Amines, MS of crude biological extracts, 322
——, new reagents for the identification of, 241
——, sensitive method for the detection of substances containing primary amino groups on thin-layer plates, 184
Amino acid analysers, single column, multi-temperature bath control units for, 538
Amino acids, acidic, separation by high-voltage electrophoresis and chromatography, 575
——, direct determination of the enzymatic effect by TLC, 558
——, experiments with TLC on charcoal, 113
——, sensitive method for the detection of substances containing primary amino groups on thin-layer plates, 184
——, N-terminal, identification in the form of fluorescent thiohydantoins, 231
Amphetamines, occurrence of cyclohexylamine in urines studied for drug use by TLC, 565
α-Amylase, purification from $C_3H$ mouse submaxillary gland by gel filtration, 547
Androstenedione, structural analysis of steroids by association of TLC techniques with GC–MS, 364
Anisoles, GC of alkyldinitrophenols and the corresponding anisoles, 523
Apparatus, autoradiography of thin-layer radiochromatograms using Polaroid film, 555
——, for continuous flow development in thin-layer chromatography, 143
——, multiple-temperature bath control units for single-column amino acid analysers, 538
Aromatic isomers, identification by reaction chromatography, 207
Barbiturates, identification by a combination of GLC, PC and TLC, 291
——, reaction TLC after bromination at the starting point, 222
Biflavonyls, correlations between structure and chromatographic behaviour on silica gel thin layers, 484
Bio-organic substances, correlation between PC mobility and the chemical structure, 11
Boundary spreading, estimation of molecular weight distribution by gel chromatography, 400
——, experimental and theoretical investigation in gel chromatography, 393
Brucine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, 493
Caffeine, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, 96
——, TLC together with theophylline and theobromine on pH gradient layers, 106
Cannabinoids, simple TLC by means of silica gel sheets treated with amines, 562
Carbene-cyclopentadienes, evidence of the stereospecific carbene reaction by TLC, 53
Carbohydrates, application of combined pyrolysis–TLC to the study of chemical kinetics, 268
——, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate) 577

Colubrine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, 493
Column chromatography, contribution to, 446
——, nitration of aromatic compounds during development of silver nitrate-impregnated silicic acid columns with carbon tetrachloride, 532
Cyclamates, occurrence of cyclohexylamine in urines studied for drug use by TLC, 565
Cyclohexylamine, occurrence in urines studied for drug use by TLC, 565
Cyclopropanes, *cis*- and *trans*-isomeric, TLC separation using the stereospecific carbene reaction, 53
Detection, flame ionisation detection under elevated pressures, 412
Drugs, alkaloid containing, identification by TLC after micro steam distillation, 125
——, identification by a combination of GLC, PC and TLC, 291
——, occurrence of cyclohexylamine in urines studied for drug use by TLC, 565
——, simple TLC of cannabinoids by means of silica gel sheets treated with amines, 562
Dyes, experiments with TLC on charcoal, 113
——, TLC studies of some dianilino quinones, 572
Enzymes, direct determination of the enzymatic effect by TLC, 558
——, purification of α-amylase from $C_3H$ mouse submaxillary gland by gel filtration, 547
Fatty acids, TLC in the form of their 2,4-dinitrobenzoic and N,N-dimethyl-*p*-aminobenzeneazophenylacetic acid esters, 250
Flavanones, separation and identification of 3,3′,4′,5,7-pentahydroxyflavanone and related compounds by TLC, 363
Flavones, separation and identification of 3,3′,4′,5,7-pentahydroxyflavanone and related compounds by TLC, 363
Flavonoid pigments, correlation between structure and chromatographic behaviour on silica gel thin layers, 484
Galactosaminoglycans and glucosaminoglycans, a simple method for the separation of, 535
Gas chromatography, combination with other chromatographic principles, 279
——, flame ionisation detection under elevated pressures, 412
——, preparation of porous layer open tubular columns using powdered glass as a binding agent, 406
Gel chromatography, estimation of molecular weight distribution by, 400
——, experimental and theoretical investigation of boundary spreading, 393
Glucopyranosides, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosiduronic methyl esters, D-glucopyranoside tetraacetates, and 2′-acetamido-2′-deoxy-tri-O-acetyl-D-glucopyranosides, 509
Glucosaminoglycans and galactosaminoglycans, a simple method for the separation of, 535
Glucosiduronic acids, steroidal, use of anionic liquid ion exchangers in the chromatography of, 123
Glycans, a simple method for the separation of glucosaminoglycans and galactosaminoglycans, 535
Glycine, direct determination of the enzymatic effect by TLC, 558
Hydrocarbons, polycyclic, use of TLC and MS for the rapid estimation of trace quantities of, 328
Hydrocortisone, identification of 9α-fluorinated homologues of hydrocortisone and prednisolone by TLC on insoluble polyvinylpyrrolidone, 118
Indicators, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), 577
Indoles, autotransfer chromatography combined with MS for the characterisation of, 334
Inorganic compounds, determination of silicate anions by GC separation and MS identification of their trimethylsilyl derivatives, 515
——, identification, 387
Inorganic ions, TLC separation of some metal–EDTA complexes on microcrystalline cellulose, 581
Inorganic phosphate, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), 577
Insecticides, a screening procedure for the routine determination of water-soluble organophosphorous insecticides in vegetables, 468
Iodine, study of the stability of iodine and tertiary-bounded nitrogen complexes in substances separated by TLC, by means of IR spectroscopy, 353
Leucine, direct determination of the enzymatic effect by TLC, 558
Lipids, group separation of prostaglandins on Sephadex LH-20, 542
Liquid chromatography, combination with other chromatographic principles, 279
Metal–EDTA complexes, TLC separation on microcrystalline cellulose, 581
Monosaccharides, application of combined pyrolysis–TLC to the study of chemical kinetics, 268
Nitrobenzene, GC analysis of γ-irradiated nitroaromatic products, 526
Nucleic acid components and their isomers, separation on Sephadex G-10, 551
Oestrogens, synthetic, separation from natural oestrogens by TLC, 560

Olefines, TLC separation of *cis*- and *trans*-isomeric spiro-cyclopropanes using the stereospecific carbene reaction, 53
Organic compounds, identification by chromatography after decomposition and degradation, 261
——, *in situ* chemical reactions on thin layers in the identification of, 193
Organophosphorous insecticides, water-soluble, a screening procedure for the routine determination in vegetables, 468
Organophosphorous pesticides, detection, separation and quantitative recovery on Silica Gel $GF_{254}$ thin-layer chromatograms, 567
Organosilicon compounds, systematic analysis by means of reaction chromatography, 295
Oxalic acid, application of GC to the quantitative determination of, 530
Paper chromatography, combination with other chromatographic principles, 279
——, correlation between PC mobility and the chemical structure of certain bio-organic substances and their significance for identification, 11
——, identification based on mobility, 7
——, selective determination of elements using X-ray fluorescence, 362
——, solvation equilibria and $R_M$ *vs.* composition relationships of some phenols, 57
Peptides, direct determination of the enzymatic effect by TLC, 558
——, gel chromatography of structural isomeric phenylalanine peptides on Sephadex G-15, 544
Pesticides, organophosphorous, detection, separation and quantitative recovery on Silica Gel $GF_{254}$ thin-layer chromatograms, 567
——, a screening procedure for the routine determination of water-soluble organophosphorous insecticides in vegetables, 468
——, a spray method for the fluorescent detection of sulphur-containing organic compounds, 478
Pharmaceuticals, use of vapour-programmed TLC in the separation and identification of sulphonamides, 27
Phenols, assessment of the role of simple amide stationary phases in the liquid–liquid TLC of, 67
——, behaviour of ethyl, propyl and butyl homologues on layers of cellulose impregnated with simple amides, 78
——, GC of alkyldinitrophenols and the corresponding anisoles, 523
——, pH effects in the TLC on organic porous polymers, 92
——, solvation equilibria and $R_M$ *vs.* composition relationships of, 57
Phenylalanine peptides, structural isomeric, gel chromatography on Sephadex G-15, 544
Phosphate, inorganic, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), 577
PLOT columns, preparation of porous layer open tubular columns using powdered glass as a binding agent, 406
Polyethyleneglycols, the different chromatographic behaviour of high- and low-molecular substances on nitrocellulose membranes, 90
Polyglycerols, identification by TLC of their acetates, 225
Prednisolone, extension of the TLC technique using prefabricated roll preparations, 144
——, identification of 9α-fluorinated homologues of hydrocortisone and prednisolone, 118
Progesterone, extension of the TLC technique using prefabricated roll preparations, 144
——, structural analysis of steroids by association of TLC techniques with GC–MS, 364
Prostaglandins, group separation on Sephadex LH-20, 542
Proteins, gel chromatography of structural isomeric phenylalanine peptides on Sephadex G-15, 544
——, identification of N-terminal amino acids in the form of fluorescent thiohydantoins, 231
——, purification of α-amylase from $C_3H$ mouse submaxillary gland by gel filtration, 547
Purines, separation of nucleic acid components and their isomers on Sephadex G-10, 551
Pyrimidines, separation of nucleic acid components and their isomers on Sephadex G-10, 551
Pyrolysis–TLC, combined, application to the study of chemical kinetics, 268
Pyrroles, autotransfer chromatography combined with MS for the characterisation of, 334
Quinolines, pH effects in the TLC on organic porous polymers, 92
Quinones, dianilino, TLC studies of, 572
Ribonucleic acid, fractionation and binding studies on columns of polylysine kieselguhr, 456
Silicate anions, determination by GC separation and MS identification of their trimethylsilyl derivatives, 515
Spiro-cyclopropanes, *cis*- and *trans*-isomeric TLC separation using the stereospecific carbene reaction, 53
Steroids, extension of the TLC technique using prefabricated roll preparations, 144
——, identification of 9α-fluorinated homologues of hydrocortisone and prednisolone by TLC on insoluble polyvinyl-pyrrolidone, 118

——, structural analysis by association of TLC techniques with GC–MS, 364
——, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosiduronic acid methyl esters, D-glucopyranoside tetraacetates, and 2′-acetamido-2′-deoxy-tri-O-acetyl-D-glucopyranosides, 509
——, use of anionic liquid ion exchangers in the chromatography of steroidal glucosiduronic acids, 123
Stilbenes, nitration of aromatic compounds during development of silver nitrate-impregnated silicic acid columns with carbon tetrachloride, 532
Structural analysis, studies in the relationship between molecular structure and chromatographic behaviour, 418
Strychnine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, 493
*Strychnos* alkaloids, tertiary, correlation between $hR_F$ values in TLC and chemical structure, 493
Sugars, see also Carbohydrates
——, and sugar derivatives, from non-dialysable components of biological fluids, GC analysis of, 430
Sulphonamides, use of vapour-programmed TLC in the separation and identification of, 27
Sulphur-containing organic compounds, a spray method for the fluorescent detection, 478
Testosterone, structural analysis of steroids by association of TLC techniques with GC–MS, 364
Theobromine, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, 96
——, TLC together with caffeine and theobromine on pH gradient layers, 106
Theophylline, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, 96
——, TLC together with caffeine and theobromine on pH gradient layers, 106
Thin-film chromatography, separation and determination in the subnanogram range on solid surfaces, 132
Thin-layer chromatography, apparatus for continuous flow development in, 143
——, autoradiography using Polaroid film, 555
——, combination with other chromatographic principles, 279
——, combined application with spectroscopy in the microgram range, 313
——, diagonal techniques, 200
——, experiments with TLC on charcoal, 113
——, extension of the technique using prefabricated roll preparations, 144
——, homologous *m*-polyphenyls as reference compounds in adsorption TLC, 46
——, identification based on mobility, 7
——, identification of a small amount of a substance overlapped by a large amount of another substance, 35
——, improved procedures for handling TLC spots, 343
——, influence of chromatographic factors on remission measurements in, 372
——, influence of the layer support on the detection of substances, 163
——, *in situ* chemical reactions on thin layers in the identification of organic compounds, 193
——, $\Delta R_{M(\text{stand})}$ as a reliable value for identification purposes in, 22
——, selective determination of elements using X-ray fluorescence, 362
——, separation and determination in the subnanogram range on solid surfaces, 132
Thiobarbiturates, reaction TLC after bromination at the starting point, 222
*p*-Tyramine, MS of crude biological extracts, 322
Xanthine derivatives, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, 96
——, TLC of caffeine, theophylline and theobromine on pH gradient layers, 106

U·M·I

DUE TO TIGHT BINDING, SOME PAGES DID NOT PHOTOGRAPH WELL, RESULTING IN PRINT MISSING. THIS REPRODUCTION IS MADE FROM THE BEST COPY AVAILABLE.